AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) A data processing apparatus, comprising:

an input portion;

an output portion;

a plurality of compressing/expanding devices that compress input data-to-beoutput that is inputted from said input portion and expand compressed data-to-beoutput;

a file memory which stores said compressed data-to-be-output, the data-to-be output being compressed by some or all of said plurality of compressing/expanding devices;

a data discrimination portion which discriminates whether said input data-tobe-output is data including a small amount of information or a large amount of information; and

a transfer controller,

wherein, in cases where it is discriminated by said data discrimination portion that said input data-to-be-output is data including a small amount of information, said transfer controller transfers said input data-to-be-output to said output portion through less than all of said plurality of compressing/expanding devices operating in parallel, and

wherein, in cases where it is discriminated by said data discrimination portion that said <u>input</u> data-to-be-output is data including a large amount of information, said transfer controller transfers said <u>input</u> data-to-be-output to at least some of said plurality of compressing/expanding devices while <u>simultaneously</u> transferring said <u>input</u> data-to-be-outputted to said output portion.

2. (Currently Amended) The data processing apparatus as recited in claim1, further comprising a compressing/expanding controller,

wherein, in cases where said <u>input</u> data-to-be-output is data including a small amount of information, said compressing/expanding controller assigns some of said plurality of compressing/expanding devices to compressing operation and assigns some or all of the other of said plurality of compressing/expanding devices to expanding operation, and

wherein, in cases where said <u>input</u> data-to-be-output is data including a large amount of information, said compressing/expanding controller assigns all of said plurality of compressing/expanding devices to compressing operation at the time of compressing said <u>input</u> data-to-be-input and to expanding operation at a time of expanding said <u>compressed</u> data-to-be-output.

3. (Currently Amended) The data processing apparatus as recited in claim 2, further comprising an output discrimination portion which discriminates whether an outputting operation of said output portion is a first outputting operation or a second or subsequent outputting operation,

wherein, in cases where said <u>input</u> data-to-be-output is data including a small amount of information, if it is discriminated by said output discrimination portion that said outputting operation of said output portion is a first outputting operation, said transfer controller transfers said <u>input</u> data-to-be-output input from said input portion to a file memory through some of said plurality compressing/expanding devices assigned to a compressing operation and further transfers said <u>compressed</u> data-to-be-output to said output portion through at least some of the other of said plurality of compressing/expanding devices assigned to the expanding operation, and if it is discriminated by said output discrimination portion that an outputting operation of said output portion is a second or subsequent outputting operation, said transfer controller transfers compressed data-to-be-output stored in said file memory to said output portion through said some or all of the other of said plurality of compressing/expanding devices assigned to expanding operation, and

wherein, in cases where said input data-to-be-output is data including a large amount of information, if it is discriminated by said output discrimination portion that said outputting operation of said output portion is a first outputting operation, said transfer controller transfers said input data-to-be-output that is input from said input portion to a file memory through all of said plurality compressing/expanding devices assigned to compressing operation while simultaneously transferring said input data-to-be-output to said output portion, and if it is discriminated by said output discrimination portion that said outputting operation of said output portion is a second or subsequent outputting operation, said transfer controller transfers compressed data-to-be-output stored in said file memory to said output portion through all of said plurality of compressing/expanding devices assigned to expanding operation.

Attorney's Docket No. 1032567-000018 Application No. 10/622,462

4. (Currently Amended) The data processing apparatus as recited in claim 1, wherein said <u>input</u> data-to-be-output including a small amount of information is monochrome data and said <u>input</u> data-to-be-output including a large amount of information is color data, and wherein said data discrimination portion discriminates whether said <u>input</u> data-to-be-output is said monochrome data or said color data.

- 5. (Currently Amended) The data processing apparatus as recited in claim 1, wherein said <u>input</u> data-to-be-output including a small amount of information is binary data and said <u>input</u> data-to-be-output including a large amount of information is multi-valued data, and wherein said data discrimination portion discriminates whether said <u>input</u> data-to-be-output is said binary data or said multi-valued data.
- 6. (Original) The data processing apparatus as recited in claim 5, wherein said binary data includes binarized color data.
- 7. (Previously Presented) The data processing apparatus as recited in claim 2, wherein, in cases where said data-to-be-output is data including a small amount of information, said compressing/expanding controller further changes operational assignment of said plurality of compressing/expanding devices depending on an amount of information.

8. (Currently Amended) A data processing method, comprising: discriminating whether <u>input</u> data-to-be-output is data including a small amount of information or a large amount of information;

executing a compressing operation of said <u>input</u> data-to-be-output and expanding operation of compressed data-to-be-output by less than all of a plurality of compressing/expanding devices operating in parallel, and thereafter executing an outputting on the expanded data-to-be-output in cases where it is discriminated that said <u>input</u> data-to-be-output is data including a small amount of information; and

executing the compressing operation of said <u>input</u> data-to-be-output while <u>simultaneously</u> executing the outputting operation of said <u>input</u> data-to-be-output in cases where it is discriminated that said <u>input</u> data-to-be-output is data including a large amount of information.

9. (Currently Amended) The data processing method as recited in claim 8, wherein, in cases where it is discriminated that said input data-to-be-output is data including a small amount of information, some of said plurality of expanding/compressing devices are assigned to the compressing operation and some or all of the other of said plurality of the expanding/compressing devices are assigned to expanding operation, and

wherein, in cases where it is discriminated that said <u>input</u> data-to-be-output is data including a large amount of information, all of said plurality of expanding/compressing devices are assigned to the compressing operation at the time of compressing a <u>input</u> data-to-be-input and to the expanding operation at a time of expanding said compressed data-to-be-input.

10. (Currently Amended) The data processing method as recited in claim 9, wherein it is discriminated whether said outputting operation is a first outputting operation or a second or subsequent outputting operation,

wherein, in cases where said <u>input</u> data-to-be-output is data including a small amount of information, if it is discriminated that said outputting operation is a first outputting operation, said inputted data-to-be-output is transferred to a file memory through some of said plurality compressing/expanding devices assigned to compressing operation and then output through some or all of the other of said plurality of compressing/expanding devices assigned to expanding operation, and if it is discriminated that said outputting operation is a second or subsequent outputting operation, said compressed data stored in said file memory is output through said some or all of the other of said plurality of compressing/expanding devices assigned to the expanding operation, and

wherein, in cases where said <u>input</u> data-to-be-output is data including a large amount of information, if it is discriminated that said outputting operation is a first outputting operation, input data-to-be-output is transferred to a file memory through all of said plurality compressing/expanding devices assigned to compressing operation while <u>simultaneously</u> transferring said <u>input</u> data-to-be-output to an output portion, and if it is discriminated that said outputting operation is a second or subsequent set of outputting operation, compressed data stored in said file memory is transferred to said output portion through all of said plurality of compressing/expanding devices assigned to expanding operation.

Attorney's Docket No. 1032567-000018 Application No. 10/622,462

11. (Currently Amended) The data processing method as recited in claim 8, wherein said <u>input</u> data-to-be-output including a small amount of information is monochrome data and said <u>input</u> data-to-be-output including a large amount of information is color data, and wherein data discrimination is performed by discriminating whether said <u>input</u> data-to-be-output is said monochrome data or said color data.

- 12. (Currently Amended) The data processing method as recited in claim 8, wherein said <u>input</u> data-to-be-output including a small amount of information is binary data and said <u>input</u> data-to-be-output including a large amount of information is multi-valued data, and wherein data discrimination is performed by discriminating whether said input data-to-be-output is said binary data or said multi-valued data.
- 13. (Original) The data processing method as recited in claim 12, wherein said binary data includes binarized color data.
- 14. (Currently Amended) The data processing method as recited in claim 9, wherein, in cases where said <u>input</u> data-to-be-output is data including a small amount of information, operational assignment of said plurality of compressing/expanding devices is changed depending on an amount of information.
- 15. (Currently Amended) An image forming apparatus, comprising:
 a scanner which outputs an original image by converting into electronic data
 with a photoelectric transferring element;

an input port which receives a print job from an external device including a computer and a facsimile apparatus;

an input adjusting portion which receives a scanned image job outputted from said scanner and a print job inputted into said input port;

a plurality of compressing/expanding devices which compress <u>input</u> data-tobe-output included in a job inputted from said input adjusting portion and expand compressed data-to-be-output;

a storage which stores said compressed data-to-be-output;

a printer which prints out data-to-be-output, said data-to-be outputted being included in said print job or said scanned image job on a sheet;

a data discrimination portion which discriminates whether said <u>input</u> data-tobe-output is data including a small amount of information or a large amount of information; and

a transfer controller,

wherein, in cases where it is discriminated by said data discrimination portion that said <u>input</u> data-to-be-output is data including a small amount of information, said transfer controller transfers said <u>input</u> data-to-be-output to said printer through less than all of said plurality of compressing/expanding devices operating in parallel, and

wherein, in cases where it is discriminated by said data discrimination portion that said <u>input</u> data-to-be-output is data including a large amount of information, said transfer controller transfers said <u>input</u> data-to-be-output to at least some of said plurality of compressing/expanding devices while <u>simultaneously</u> transferring said data-to-be-output to an output portion.

16. (Currently Amended) The image forming apparatus as recited in claim 15, further comprising a compressing/expanding controller,

wherein, in cases where said <u>input</u> data-to-be-output is data including a small amount of information, said compressing/expanding controller assigns some of said plurality of compressing/expanding devices to compressing operation and assigns some or all of the other of said plurality of compressing/expanding devices to expanding operation, and

wherein, in cases where said <u>input</u> data-to-be-output is data including a large amount of information, said compressing/expanding controller assigns all of said plurality of compressing/expanding devices to compressing operation at a time of compressing a data-to-be-inputted and assigns all of said plurality of compressing/expanding devices to expanding operation at the time of expanding said <u>compressed</u> data-to-be-output.

17. (Currently Amended) The image forming apparatus as recited in claim 16, further comprising an output discrimination portion which discriminates whether an outputting operation of said printer is a first set of outputting operation or a second or subsequent outputting operation,

wherein, in cases where said <u>input</u> data-to-be-output is data including a small amount of information, if it is discriminated by said output discrimination portion that said outputting operation of said printer is a first outputting operation, said transfer controller transfers said <u>input</u> data-to-be-output to said storage through some of said plurality compressing/expanding devices assigned to a compressing operation and further transfers said <u>compressed</u> data-to-be-output to said printer through some or

all of the other of said plurality of compressing/expanding devices assigned to expanding operation, and if it is discriminated by said output discrimination portion that said output from said printer is a second or subsequent output, said transfer controller transfers compressed data-to-be-output stored in said storage to said printer through said some or all of the other of said plurality of compressing/expanding devices assigned to expanding operation, and

wherein, in cases where said <u>input</u> data-to-be-output is data including a large amount of information, if it is discriminated by said output discrimination portion that said outputting operation of said printer is a first outputting operation, said transfer controller transfers said <u>input</u> data-to-be-output to said storage through all of said plurality compressing/expanding devices assigned to compressing operation while <u>simultaneously</u> transferring said <u>input</u> data-to-be-output to said printer, and if it is discriminated by said output discrimination portion that said outputting operation of said printer is a second or subsequent outputting operation, said transfer controller transfers compressed data-to-be-output stored in said storage to said printer through all of said plurality of compressing/expanding devices assigned to expanding operation.

18. (Currently Amended) The image forming apparatus as recited in claim 15, wherein said <u>input</u> data-to-be-output including a small amount of information is monochrome data and said <u>input</u> data-to-be-output including a large amount of information is color data, and wherein said data discrimination portion discriminates whether said input data-to-be-output is said monochrome data or said color data.

Attorney's Docket No. 1032567-000018 Application No. 10/622,462

Page 12

19. (Currently Amended) The image forming apparatus as recited in claim

15, wherein said input data-to-be-output including a small amount of information is

binary data and said input data-to-be-output including a large amount of information

is multi-valued data, and wherein said data discrimination portion discriminates

whether said input data-to-be-output is said binary data or said multi-valued data.

20. (Original) The data processing apparatus as recited in claim 19, wherein

said binary data includes binarized color data.

21. (Currently Amended) The data processing apparatus as recited in claim

16, wherein, in cases where said input data-to-be-output is data including a small

amount of information, said compressing/expanding controller further changes

operational assignment of said plurality of compressing/expanding devices

depending on an amount of information.